

06-26-2001

GR 99 P 1512

- 10 -

Patent claims

- 09937539-122604
1. A mobile telecommunications terminal which can be activated at in each case one of a number of different base stations in order to set up and conduct communication connections with a telecommunications network via this base station and which has a numbers memory (3), means (1, 4) for displaying names assigned to call numbers stored in the numbers memory and means (5) for transferring a call number to a base station in response to the selection by a user of the displayed name assigned to the call number, characterized in that it is possible to store in addition to a call number stored in the numbers memory information which indicates in connection with which of the number of base stations the call number can be dialed.
2. The terminal as claimed in claim 1, characterized in that the means for display (1, 4) are set up to display only those names among the ones assigned to the stored call numbers which can be dialed in connection with a designated base station.
3. The terminal as claimed in claim 1 or 2, characterized in that the numbers memory (3) is organized in columns (8, 9, 10), a numbers column (8) containing the stored call numbers and a stations column (10) specifying for each call number the base station(s) in connection with which the call number can be dialed.
4. The terminal as claimed in claim 1 or 2,

AMENDED SHEET

06-26-2001

GR 99 P 1512

- 10a -

5 characterized in that the numbers memory is organized in columns (8) which are respectively assigned to a base station, and in that stored in each column (8) are those call numbers which can be dialed in connection with the associated base station.

09937539-122601
"0922T" 6654560

5. The terminal as claimed in one of the preceding claims, characterized by an operator control element (2) for the user to designate the base station.
- 5
6. The terminal as claimed in one of the preceding claims, characterized in that it is set up to establish the identity of the base station at which it is activated and to make this base station the designated base station.
- 10
7. The terminal as claimed in one of the preceding claims, characterized by an operator control element (2) for switching over the display means (1, 4) between a dialing operating state, in which only the names which can be dialed in connection with the designated base station are displayed, and an editing operating state, in which all the data stored in the numbers memory are displayed.
- 15
8. The terminal as claimed in one of the preceding claims, characterized in that, unless otherwise specified by the user, it stores with respect to a call number entered by the user into the numbers memory (3) the information that the number can be dialed in connection with all the base stations.
- 20
9. The terminal as claimed in one of the preceding claims, characterized in that it is a cordless telephone.
- 25
- 30

09937539.12601